

Amendments to the claims:

1. (canceled)

2. (canceled)

3. (currently amended)      The hypodermic needle holder as recited in claim [[2]] 6 and wherein said lid portion further includes a raised projection for engaging and fitting within said main opening for securing said lid portion in a closed position for retention of contents of said hypodermic needle holder.

4. (canceled)

5. (canceled)

6. (currently amended)      ~~The hypodermic needle holder as recited in claim 5 and~~      A hypodermic needle holder for safely storing and disposing of a hypodermic needle, and comprising:

a body portion and a lid portion connected to said body portion and a main opening lockably coverable by said lid portion, said lid portion pivotably moveable between a first, open position and a second, closed locked position wherein said opening of said body portion is fixably enclosed by said lid portion;

at least a plurality of needle retaining openings, each needle retaining opening associated with and in communication with an isolated chamber accessible through its associated one of said at least a plurality of needle retaining openings, and

wherein said isolated chamber includes ~~wherein said at least one projection is~~ a plurality of projections for frictionally engaging and retaining a hypodermic needle, each of said projections protruding generally toward the longitudinal axis of said isolated chamber and extending generally downward into said isolated chamber for grasping and frictionally engaging a hypodermic needle, each needle retaining opening in communication with said main opening for frictionally engaging and retaining said hypodermic needle by at least frictional engagement upon insertion of said hypodermic needle within said needle retaining opening; and

support structure, connected to said body portion, for enabling said hypodermic needle holder to be stably supported and utilized for frictionally engaging and retaining said hypodermic needle without manual grasping.

7.(original) The hypodermic needle holder as recited in claim 6 and wherein said isolated chamber has a frustoconical first portion adjacent a tapering second portion.

8.(currently amended) The hypodermic needle holder as recited in claim [[5]] 6 and further comprising at least one container in communication with said main opening for the disposal of miscellaneous dangerous material.

9. (original) The hypodermic needle holder as recited in claim 8 and wherein said container is frustoconical.

10. (currently amended) ~~The hypodermic needle holder as recited in claim 9 and~~ A hypodermic needle holder for safely storing and disposing of a hypodermic needle, and comprising:

a body portion and a lid portion connected to said body portion and a main opening lockably coverable by said lid portion, said lid portion pivotably moveable between a first, open position and a second, closed locked position wherein said opening of said body portion is fixably enclosed by said lid portion;

at least a plurality of needle retaining openings, each needle retaining opening associated with and in communication with an isolated chamber accessible through its associated one of said at least a plurality of needle retaining openings, and wherein said isolated chamber includes at least one projection in a radial direction for frictionally engaging and retaining a hypodermic needle, each needle retaining opening in communication with said main opening for frictionally engaging and retaining said hypodermic needle by at least frictional engagement upon insertion of said hypodermic needle within said needle retaining opening;

at least one frusto-conical container in communication with

said main opening for the disposal of miscellaneous dangerous material and

support structure, connected to said body portion, for enabling said hypodermic needle holder to be stably supported and utilized for frictionally engaging and retaining said hypodermic needle without manual grasping, and including wherein said support structure further comprises at least two arm members for enhancing the upright stability of said hypodermic needle holder.

11.(currently amended) The hypodermic needle holder as recited in claim [[9]] 10 and wherein said support structure further comprises a layer of adhesive attached to said hypodermic needle holder for enhancing the upright stability of said hypodermic needle holder.

12.(original) The hypodermic needle holder as recited in claim 10 and wherein said arm members are hook arm members each having at least a lateral member having a first end connected to said hypodermic needle holder and a second end, and an opposing member having a first end connected to said second end of said lateral member and extending opposite a surface of said hypodermic needle holder.

13.(currently amended) The hypodermic needle holder as

recited in claim [[11]] 10 and wherein said hypodermic needle holder is fabricated from a polymeric, at least slightly resilient material.

14.(currently amended) The hypodermic needle holder as recited in claim [[12]] 13 and wherein said polymeric, slightly resilient material is plastic.

15.(currently amended) ~~The hypodermic needle holder as recited in claim 1 wherein~~ A hypodermic needle holder for safely storing and disposing of a hypodermic needle, and comprising:

a body portion and a lid portion connected to said body portion and a main opening lockably coverable by said lid portion;

at least a plurality of needle retaining openings, each needle retaining opening associated with and in communication with an isolated chamber, each needle retaining opening in communication with said main opening for frictionally engaging and retaining said hypodermic needle by at least frictional engagement upon insertion of said hypodermic needle within said needle retaining opening, and each of said plurality of needle retaining openings ~~include~~ includes a plurality of planar members, each said planar member adjacent an inwardly curving wall; and

support structure, connected to said body portion, for enabling said hypodermic needle holder to be stably supported and utilized for frictionally engaging and retaining said hypodermic needle without manual grasping.

16.(canceled)

17.(currently amended) The method of claim [[16]]19 wherein said hypodermic needle holder includes an openable and closable lid portion for selectively accessing said needle retainer, and further comprising the step of opening said lid portion to allow for the advancement of said hypodermic syringe into said opening.

18.(currently amended) The method of claim [[16]] 19 and wherein said de-coupling of said hypodermic needle and syringe is accomplished through the use of a frictional fitting.

19.(currently amended) ~~The method of utilizing a hypodermic needle with a disposable hypodermic needle holder and wherein said hypodermic needle holder is sterile before said de-coupling step and including the method as recited in claims {15} 16 and further comprising the steps of:~~

A method of utilizing a hypodermic needle with a disposable hypodermic needle holder which includes an opening having a

needle retainer disposed therein, the method comprising the steps of:

- a) affixing a hypodermic needle holder to an object;
- b) advancing a hypodermic needle supported by a hypodermic syringe into said opening;
- c) frictionally engaging said hypodermic needle to said needle retainer;
- c) de- coupling said hypodermic needle from said hypodermic syringe, to isolate said hypodermic needle and inhibit its cross contamination;
- d) removing said hypodermic syringe away from said opening
- ae) advancing said hypodermic syringe toward said opening;
- bf) coupling said hypodermic syringe to said hypodermic needle; and
- dg) removing said hypodermic needle and attached hypodermic syringe away from said opening.